# Using Reforecasts to Improve CPC's Week-2 Forecasts

NOAA's 38<sup>th</sup> Climate Diagnostics and Prediction Workshop

Mike Charles, Melissa Ou, Dan Collins, Emily Riddle

Climate Prediction Center





## Outline


- 1. CPC's original reforecast-based tool
- 2. CPC's Reforecast Calibration Project
- 3. Evaluation of CPC's new reforecast-based tool

# Importance of Reforecasts

- Historical forecasts generated with a frozen model
- Useful for diagnosing systematic errors
- Can be used to improve model skill through post-processing


# Importance of Reforecasts

• Hagedorn et al. 2008 - significant improvement in GEFS 2m Temperature forecasts using bias-correction and calibration




## CPC's Week-2 Forecast






#### Precipitation




# CPC's Week-2 Forecast Tools




## Reforecast-1 Tool

#### Temperature





#### Precipitation





## Reforecast-1 Dataset


- Produced by the Earth System Research Lab (ESRL)
- 1998 NCEP Global Ensemble Forecasting System (GEFS)
- 11 members
- Initialized daily at 00z using NCEP/NCAR reanalysis from 1979 to mid-2013
- Resolution of T62 (about 175 km)













# Reforecast-1 Skill - Reliability





## Issues with Reforecast-1

- Deprecated model (1998) with relatively low resolution
- Large-scale pattern forecast by 1998-GEFS sometimes very poor
- 1998 GEFS was being retired by mid-2013

#### ESRL's New Reforcast-2

- Produced by ESRL
- 2012 NCEP GEFS
- 11 members
- Initialized daily at 00z using CFSR from Dec 1984 to present
- Resolution of T254 (about 50 km) out to 8 days, and T190 (about 70 km) from 8-16 days

# CPC's Reforecast Calibration Project

#### Goals:

- 1. Replace the Reforecast-1 tool since it was being retired
- 2. Provide a skillful tool for CPC's week-2 forecasters

#### Accomplishments:

- 1. Created development plan
- 2. Gathered data
- 3. Wrote all necessary software
- 4. Produced a product

# Reforecast Calibration Steps

Obtain reforecast data

1985010100/c00/tmp\_2m\_1985010100.grib2
1985010100/p01/tmp\_2m\_1985010100.grib2
1985010100/p02/tmp\_2m\_1985010100.grib2
1985010100/p03/tmp\_2m\_1985010100.grib2
1985010100/p04/tmp\_2m\_1985010100.grib2
1985010100/p05/tmp\_2m\_1985010100.grib2
1985010100/p06/tmp\_2m\_1985010100.grib2
1985010100/p07/tmp\_2m\_1985010100.grib2
1985010100/p08/tmp\_2m\_1985010100.grib2
1985010100/p09/tmp\_2m\_1985010100.grib2
1985010100/p09/tmp\_2m\_1985010100.grib2

**2** 

Generate statistics


$$\bar{X} = \frac{\sum_{i=1}^{i=n} X_i}{n}$$

$$\sigma(x,y) = \mathrm{E}\left[(x - \mathrm{E}[x])(y - \mathrm{E}[y])\right]$$

$$\sigma = \sqrt{\frac{1}{N} \sum_{i=1}^{N} (x_i - \mu)^2}$$


<u>3</u>

Calibrate realtime ensemble




4

Produce product for forecasters





## Reforecast-Calibrated Forecast


#### Temperature




#### Precipitation










# Reforecast 2 Skill - Reliability



#### Reliability - Precipitation - Rfcst-2 Period 0.9 8.0 **Observed Probability** 0.6 0.4 0.3 0.1 0-0.1 0.2-0.33 0.4-0.5 0.6-0.7 0.8-0.9 **Forecast Probability** Manual BC GEFS NAEFS Rfcst-1 Rfcst-2 · Perfect

## Conclusions

- Reforecast-1 tool has significantly higher skill than raw GEFS
- Reforecast-2 tool has significantly higher skill than reforecast-1 tool
- Reforecast-2 tool is CPC's most skillful week-2 forecast tool (during the cold season)
- CPC's Reforecast Calibration Project was a success:
  - Created a forecast tool that could replace the retiring Reforecast-1 tool
  - Created a skillful tool to potentially improve CPC's Week-2 forecast



#### Thanks

- CPC Reforecast Calibration Project Members (Dan Collins, Emily Riddle, Melissa Ou, and others)
- Earth System Research Laboratory (created both reforecast datasets)